



🍁 *Auto Parts Centres*

AIR CONDITIONING

VERSION 5

Tube Joining • Recover, Recycle & Recharge Systems • Hoses & Couplers
Refrigerants & Alternative Refrigerants • Leak Detection & A/C Oils
Tools & Service Items



OVER 60 LOCATIONS
TO SERVE YOU!

WWW.AUTOPARTSCENTRES.COM

ALTERNATIVE REFRIGERANTS



12A A/C Cool Refrigerant 45851

emzone 12A A/C Cool Refrigerant is an environmentally friendly replacement alternative for ozone depleting R-12 and global warming R134a products. It is non-toxic and non-ozone depleting. The 12A A/C Cool Refrigerant also contains high performance oil to improve system efficiency and Universal UV Dye to help with leak detection.

PRODUCT SIZE: 170 g / 6 oz



12A A/C All-In-One 45857

emzone 12A A/C All-In-One is a multi-purpose product containing: UV Dye for leak detection, Oil Charge universal lubricant, and System Conditioner for O-ring seals. It also helps detect leaks, lubricate A/C systems and repair leaks in O-rings and gasket joints and is system safe.

PRODUCT SIZE: 114 g / 4 oz



12A A/C Oil Charge 45852

emzone 12A A/C Oil Charge is a universal lubricant and conditioner designed to reduce friction, replace lost oil due to leaks, and increase compressor life. It is safe for all systems and will not clog or restrict flow.

PRODUCT SIZE: 114 g / 4 oz



12A A/C Dryer 45854

emzone 12A A/C Dryer contains a moisture removing additive that converts moisture in the A/C system into synthetic oil and helps remove contaminants. We recommend the use of emzone 12A A/C Dryer prior to the use of emzone 12A A/C Stop Leak or A/C System Conditioner. This will help ensure all moisture has been removed from the air conditioning system.

PRODUCT SIZE: 114 g / 4 oz



12A A/C Leak Repair 45855

emzone 12A A/C Leak Repair repairs and conditions rubber parts including O-ring seals and gasket joints. It also improves system efficiency and helps prevent leaks in these areas. The 12A A/C Leak Repair is safe for all systems and will not clog or restrict flow.

PRODUCT SIZE: 114 g / 4 oz



12A A/C Stop Leak 45856

emzone 12A A/C Stop Leak seals leaks permanently in metal and rubber parts, including evaporators, condensers, driers, O-rings, and gasket joints. It also improves system efficiency and prevents future leaks. The emzone 12A A/C Stop Leak is safe for all systems and will not clog or restrict flow. The 114 g can contains sufficient stop leak to stop minor leaks in 2 lb. to 5 lb. A/C systems.

PRODUCT SIZE: 114 g / 4 oz



12A A/C Cool Refrigerant 45860

emzone 12A A/C Cool Refrigerant is an environmentally friendly replacement alternative for ozone depleting R-12 and global warming R134a products. It is non-toxic and non-ozone depleting. The 12A A/C Cool Refrigerant also contains high performance oil to improve system efficiency and Universal UV Dye to help with leak detection.

PRODUCT SIZE: 284 g / 10 oz



A/C Cool Refrigerant - Refill 45859

emzone 12A A/C Cool Refrigerant Refill is an environmentally friendly replacement alternative for ozone depleting R-12 and global warming R134a products. It is non-toxic and non-ozone depleting. The 12A A/C Cool Refrigerant also contains high performance oil to improve system efficiency and Universal UV Dye to help with leak detection.

PRODUCT SIZE: 284 g / 10 oz



**1234yf Replacement A/C Cool Refrigerant
45830**

Environmentally friendly replacement product for use with new 1234yf systems. High performance. Nontoxic, non-ozone depleting and system safe.

PRODUCT SIZE: 170g


45753 - 13" Recharge Hose & Gauge



**1/2" Valve Recharge Hose w Gauge -
13" / 33 cm
45714**

The heavy duty Recharge Hose with Pressure Gauge is suitable for all emzone Refrigerant, Stop Leak and associated products. Use to determine current pressure status of A/C system and ensure accuracy when recharging. Includes R134a quick connect. Compatible with R-12 adaptors and A/C Retrofit Conversion Fittings (sold separately).

PRODUCT SIZE: 1/2" Tap



**Recharge Hose with Pressure Gauge
45725**

The heavy duty Recharge Hose is suitable for all emzone Refrigerant, Stop Leak and associated products.

PRODUCT SIZE: 1/2" Tap



**A/C Retrofit Conversion Fitting
45554**

A/C Retrofit Conversion Fittings low side adapter allows for the servicing of older mobile A/C systems and is to be used on the low side A/C service port.



**A/C Deluxe Recharge & Sealant Kit
45883**

- 2 emzone 12A A/C Cool Refrigerants
- 1 emzone 12A A/C Stop Leak
- 1 Deluxe Recharge Hose (Brass)
- A/C Retrofit Conversion Fitting
- A/C Refrigerant Oil Tester



**12A A/C Recharge Kit including Hose with Gauge
45885**

- 2 emzone 12A A/C Cool Refrigerants
- 1 Recharge Hose with Gauge
- A/C Retrofit Conversion Fitting
- A/C Refrigerant Oil Tester

OE REFRIGERANTS



**Generic A/C Refrigerant
1234YF**

PRODUCT SIZE: 10 lbs



**ACDelco 1234YF A/C Refrigerant
19260235**

PRODUCT SIZE: 10 lbs



**ACDelco R134 A/C Refrigerant
10953485**

PRODUCT SIZE: 30 lbs



**R134 A/C Refrigerant
R134-ATRALYN**

PRODUCT SIZE: 30 lbs

ENGINE COOLING SERVICE



Combustion Leak Tester Kit
560000

- Fast, Economical and Accurate method to test for combustion gas leaks
- 16 ounce test fluid good for 16 applications
- Works on gasoline and diesel engines



560500 Replacement Combustion Leak Tester Fluid
560500

16 oz. / 480ml.



Refractometer
TLREF

This instrument is designed for testing the concentration of battery fluids, antifreeze liquids and cleaning fluids



Airlift™ Kit & Cooling System Replacement Parts
550000

Eliminate airlocks in vehicle cooling systems and refills in seconds. OEM approved.



Serpentine Belt Tool Set
GWR-89000

15 Pc. Serpentine Belt Tool Set with Locking Flex Head Ratcheting Wrench



Universal Cooling System Pressure Test Kit
ATD-3300

- Hand pressure pump with color coded 0-35 psi gauge and push-button pressure relief valve
- Temperature gauge
- (4) Chromed steel cap adapters
- (8) Anodized aluminum cap adapters



Automotive Diagnostic Test Strips

Fluid diagnostic test strips for automotive and heavy duty vehicles. Acustrip test strips are distributed in Canada by NLS Products.

TYPE	VOLUME	CODE
Auto & Light Truck Coolant Test Strips	70 Test Strips	#1570
Hydrocarbon Test Strips for DEF, Coolant, Water	50 Test Strips	#80508
Tests for Coolant Presence in Engine Oil (Gas & Diesel) & Automatic Transmission Fluid	50 Test Strips	#80900

NEW



FMSI Hydrocarbon Refrigerant Testing Packaging
7211

Included in Kit: 2 cans of Hydrocarbon Refrigerant, 1 syringe of UV Dye, Connection Adapter & Hose



FMSI R1234yf + R134a Air Conditioning Recharge Kit
AR4247RT

2-6oz cans, 1-Installation Hose, 2-adapters (R1234yf/R134a)



FMSI Refrigerant Replacement R12, R134 & 1234YF
AR4247

6 oz can



FMSI R134a Replacement Highside Hose 72 in
MT0403HP



FMSI R134a Replacement Lowside Hose 72 in
MT0404HP



FMSI R134a Replacement Feed Hose 72 in
MT0405HP



CPS 10' Automotive Service Hose
Blue - HA10B
Red - HA10R
Yellow - HA10Y



20' R134 Hose
Blue - HA20B
Red - HA20R



R1234yf High + Low side Shut Off Service Coupler Kit - 5719
Low side (Coupler Only) - 5718
High side (Coupler Only) - 5717



R134 High & Low Side Shut Off Coupler Assortment
2 pcs - 0220
High Side Only - MT0407HP
Low Side Only - MT0406HP



Premium Manual Couplers, 14mm, R134a
QC134SET



Manual Coupler Set 12mm Fittings, HF01234YF, 12mm
QC1234 SET




Manual Coupler Set 1/4 Flare Fittings, HF01234YF
QC1234-14 SET



Conversion Set 14mm Fittings With Tank Adapter, R134 to 1234yf, 14mm
QC1214 SET




Male 1/2 ACME x Female 1/4 SAE/7/16"-20 R1234YF Vacuum Pump/Tank Adapter
5714



Male 1/4 SAE/7/16"-20 x Female 1/2 ACME R134a Cylinder Adapter
MT0432



Male 1/4 SAE/7/16" - 20 x Female 1/2 ACME (LHT) Tank Adapter
5713



1/2in ACME Male x 1/2in ACME Female
BV12



HFO-1234yf Tank adapter 1/4 SAE Male X 1/2" Acme Female Left Hand Thread
AD84L



Tank adapter 1/2" Acme Male Right Hand Thread x 1/2" Acme Female Left Hand Thread
AD88L



Tank fitting, 1/4 female flare = 1/2" Acme male
AD48



Male 14mm Quick Coupler x Female 1/2 ACME (LHT) R1234YF Low Side Male Coupler Adapter
5712



Machine Tank Quick Connect ACME Female x Low-Side R-134a
AD12

LEAK DETECTION DYES



Pro Shot Injection Cartridge System
140211C

Kit, Eco-Brite Universal A/C Dye 237ml cartridge

(Treats 64 vehicles) R134a Hose & Coupling
R-12 Adapter, Purge Fitting, Case



Robinair Universal A/C Fluorescent Dye
16240

(8 oz. bottle, 64 Applications)



Dye-Lite All-in-One Oil Dye
TP3400-1P6

1oz



Standard Coolant Dye
TP-3900-0601

1oz



Fluoro-Lite Universal/POE Dye
TP-3840-0601

1oz



A/C ExtenDye Cartridge 803
499108A

UView 499108A A/C ExtenDye

TOP MOVER



Fluoro-Lite A/C Dye
TP3840-8
8oz



Universal A/C Dye Cartridge
499005

4oz For Spotgun™ System
Services Up To 32 Vehicles



A/C ExtenDye Cartridge
399020A

1 oz/30mL, Designed for use with Spotgun Jr.™ Injection System



Multi-Purpose Dye
483208

Pinpoint leaks in engine oil, transmission, hydraulic, power steering, gasoline, and diesel fuel systems.



A/C ExtenDye
499008A

8 oz (240mL) bottle with measuring chamber, Services up to 64 vehicles



Multi-Purpose Dye Bottles
B483206

Pinpoint leaks in engine oil, transmission, hydraulic, power steering, gasoline, and diesel fuel systems. Services up to 6 vehicles.



Universal A/C Dye Bottles
B499012A

Services up to 12 vehicles,
12 Bottles (1/4 oz/7.5mL)



LeakGuard Refill Cartridge
480301

- Meets the standard of excellence
- Manufactured to the highest quality available
- Will not harden, crystallize or clog the A/C system or refrigerant recycle equipment



LeakGuard Pro A/C Stop Leak Sealant
480308

UView LeakGuard(TM) Cartridge for Spotgun(TM) System (8oz / 240 ml)
Certified to meet SAE J2670 (UVW-480308)



LeakGuard OneShot
480501

LeakGuard OneShot A/C Supplement with ExtenDye Cartridge 103, 30mL



BigEZ Universal/Ester Dye
TP9770-8

8oz

SPECIALIZED A/C OILS



Ester Oil
59089

100 Viscosity with dye - 803



Premium Oil Bottle - 8 Ounce
59007

8 Oz Bottle Premium Pag 46 Oil Without Dye



Premium Oil Bottle - 8 Oz
59002

8 Oz Bottle Premium Pag 100 Oil Without Dye



Four Seasons POE Oil
59890

8 Oz Bottle POE Oil Without Dye



Pag Oil/hfo-1234yf
59234

Four Seasons PAG Oil/HFO-1234yf



Supercool Ester 100
49601HP

Supercool Ester 100 with UV Dye



Ester Oil
59099

100 Viscosity Quart Bottle



POE/ESTER Lubricants for Electric Compressors w/UV Dye
OL6034.UK01

LR POE 100E + UV Dye 32oz (1 Quart) Bottle

SPECIALIZED A/C OILS/A/C EXTENDYE

NEW



Universal PAG 46 Oil with A/C ExtenDye

488046YFPD

8oz Bottle. Hybrid & EV Compatible



Ester Oil Cartridge **488108E**

ESTER 100 Oil – (8 oz/240mL)



Universal PAG oil with dye and eBOOST **488016P**

eBOOST is a proprietary performance enhancing supplement developed to boost the performance of lubricants. When used in an air conditioning system eBOOST increases the lubricity and anti-wear properties of A/C oil and rejuvenates rubber seals and O-rings.



PAG 46 Oil Cartridge 1234yf **488046YF**

For use with Spotgun, the world's most popular and professional injection method. Pull the trigger to inject a precise amount of oil and you're done!



PAG Oil Cartridge Pag 46 oil - **488046P**

803, 240mL
- Easy application to pressurized systems
- Item Weight - 0.60 lbs.



Oil with A/C ExtenDye
PAG 46 - **488046PBD**
PAG 100 - **488100PBD**

A/C ExtenDye™ is a super-concentrated UV dye that includes an enhanced additive package to reduce wear, extend component life and improve efficiency of the A/C system. 803, 240mL



Hybrid Ester Oil Cartridge **488104H**

Hybrid vehicle air conditioning systems are different and require specific POE Oil that is low in moisture and free of any cross-contamination with other oils.



Refills Oil Cartridges

PAG 46 **399046**

PAG 46 R-1234yf **399046YF**



UVView® SpotGun® Jr. Injection Starter Kit **390100**

The UVView® SpotGun® Jr Injection Starter Kit. Engineered to deliver reliable performance, this comprehensive solution is designed to streamline your automotive service operations.

R1234YF INJECTION KITS



Spotgun™ R-1234yf Hose Assembly with Coupler **471540**

R-1234yf Hose Assembly with Coupler

Jr. - **471547**



Spotgun™ R-1234yf Dye Injection Kit **471500YF**

Serves up to 64 vehicles, Spotgun injector with R-1234yf adapter, A/C ExtenDye cartridge (8 oz/240 mL), Service stickers, Hybrid safe



Spotgun™ HFO Oil Injection Kit **481500YF**

The world's most popular and professional injection method. Pull the trigger to inject a precise amount of oil into the A/C system and you're done. Allows for compliance with J2843 Standard (separate oil injection). For use in R-1234yf systems.

R134A INJECTION KITS



Spotgun™ Dye Kit
471500A

All UView A/C Dyes are Certified to Meet SAE J2297 for use in R-134a/PAG and R-1234yf/PAG systems.



SpotGun™ Jr. Master Kit
390200

A/C ExtenDye™ is enhanced with an additive package that extends the life and improves the efficiency of the A/C system



Spotgun™ Injection Master Kit
490200

features the light, a Spotgun injection system, one 8 oz. A/C ExtenDye™ cartridge, service stickers, UV dye enhancing glasses, and a rugged case



Spotgun™ Oil Injection Kit
481500YF

R-12 and R-134a adapters



LeakGuard™ Spotgun™ Jr. OneShot Injection Kit (Must purchase 1234YF hose separate #471547)
480550



Spotgun Adapter for R134a
471535

Attaches to cartridge, R-134a coupler

Spotgun Jr. Adapter for R134a
471546

RECOVER, RECYCLE AND RECHARGE SYSTEMS

R134A



Robinair Premier R-134A Refrigerant Recovery, Recycling, and Recharging Machine
ROB-34788NI



CPS R-134a Refrigerant Management System
MSX134



TRsA21 Series Mobile A/C Refrigerant Recovery Unit
TRSA21



CPS MAXXAIR™ MSX Series - R-134a/R-1234YF
MSX3030



CPS R134A & R1234YF Refrigerant Scavenger Machine
TRSA30

Specially designed to recover contaminated R-134a or R-1234yf for Mobile A/C systems.

ROBINAIR
WHICH MACHINE DO YOU NEED?



Not sure which machine is right for your workflow?
Discover your perfect match today.

Plus: Get your **FREE** Machine Tips & Checklist download.

R1234YF



CPS R-1234yf Refrigerant Management System
MSX1234



Robinair Premier R-1234yf Recover, Recycle and Recharge Machine, R-1234yf with improved 98.5% efficiency
ROBAC1234-4



Robinair Connected R-1234YF ACS Machine, recovers, recycles, evacuates, leak-tests and recharges R-1234yf with improved 98.5% efficiency
ROBAC1234-9



FMSI HFO1234YF Basic Recovery Recharge Mobile Station
0197M

MACHINE ACCESSORIES



Recycling Filter-Driers, Specially blended for maximum acid and moisture removal.
41-903

Equivalent to
Robinair #16913



O2 Sensor
41-029

Identifier Filter R-1234yf

Equivalent to
Robinair #16916



Identifier Sample Hose

ROB-16106

Robinair 1234yf machines. Ensures clean sampling of refrigerant and help prevent contamination.



D.O.T. approved 30lb R-134a recovery tank with 1/2"SAE male fittings.
CRX430TS



Robinair Recycling Filter-Driers, Specially blended for maximum acid and moisture removal.
ROB-34724



Recycling Filter-Driers, Quick change filter for older 17700A, 34450, 34700 series.
ROB34430



D.O.T. approved 50lb R-134a recovery tank with 1/2"ACME male fittings.
ARX134TS



Robinair Cart Dust Cover

The 17499 dust cover suits the latest recovery-recycle-recharge machines from Robinair. (34788NI, 34788NI-H, AC1234-6).
ROB17499



Premium High Vacuum Pump Oil, Quart Bottle (case of 12 bottles)
ROB13203



CPS Products FX Series DUST Cover
MXXC



Filter for AR2788, AR2788B, AR2788E
ARXF5



Viper Style Filter
ARX808

BLOCK OFF CAPS

Standard

Part No.	Description	Size
76501	Line Terminator	1/2"
76502	Line Terminator	3/8"
76503	Line Terminator	5/16"
76504	Line Terminator	5/8"
76505	Line Terminator	3/4"

Metric

Part No.	Description	Size
77510	Line Terminator	10mm
5915	Line Terminator	14.5mm
77516	Line Terminator	16mm



STRAIGHT LINE SPLICERS

Standard

Part No.	Description	Size
76001	Line Splice	1/2"
76002	Line Splice	3/8"
76003	Line Splice	5/16"
76011	Line Splice	5/8"
76012	Line Splice	3/4"

Metric

Part No.	Description	Size
77010	Line Splice	10mm
77014	Line Splice	14.5mm




STRAIGHT A/C REPLACEMENT LINE

Part No.	Description	Size
5605	Tube to Hose Line	5/16"
5606	Tube to Hose Line	3/8"
5607	Tube to Hose Line	1/2"
5608	Tube to Hose Line	5/8"



TUBE TO HOSE REPAIR FITTINGS

Part No.	Description	Size
5602	Tube to hose	3/8" to 5/16"
5604	Tube to hose	5/8" to 1/2"
5601	Tube to hose	5/16" to 5/16"



5' ALUMINUM TUBING

OEM .049" Wall Thickness

Part No.	Size
5302	5/8" (16mm) x 5' Straight
5299	5/16" (8mm) x 5' Straight
5300	3/8" x 5' Straight
5301	1/2" x 5' Straight



ALUMINUM BLOCK OFF CAPS

Part No.	Size
5265	5/16" (8mm)
5266	3/8" (9.5mm)
5267	1/2" (12mm)
5268	5/8" (16mm)
5350	3/4" (19mm)



STANDARD + METRIC ALUMINUM UNIONS

Part No.	Size
5143HP	5/16" (8mm)
5136HP	3/8"
5137HP	1/2"
5138	5/8" (16mm)
5139	3/4" (19mm)



LOK-PREP Anaerobic sealant
5140

An anaerobic sealant that expands and contracts with the tube and fills grooves to ensure the integrity of the tube connection. Lok Prep must be used with every connection.

65g

KOOL-AIR KWIK-CONNECT AIR CONDITIONING FITTINGS



Aluminum Block Off Caps
Standard

Part No.	Description
5910	5/16 Block Off Cap
5911	3/8 Block Off Cap
5912	1/2 Block Off Cap
5913	5/8 Block Off Cap
5914	3/4 Block Off Cap



Aluminum Block Off Caps
Metric

Part No.	Description
5916	8mm Block Off Cap
5918	9mm Block Off Cap
5917	10mm Block Off Cap
5915	14.5mm Block Off Cap (Honda Odyssey/Pilot Repair)



Aluminum Tube Joiner
Standard

Part No.	Description
5900	5/16 Joiner
5901	3/8 Joiner
5902	1/2 Joiner
5903	5/8 Joiner
5904HP	3/4 Joiner




Aluminum Tube Joiner
Metric

Part No.	Description
5905	8mm Joiner
5919HP	9mm Joiner
5906	10mm Joiner
5907	14.5mm Joiner
5908	4.5mm to 16mm Joiner (Honda Odyssey/Pilot)
5909	15mm Joiner

Kool-Air Kwik-Connect Tube to Tube - Tool Free Install



Easily Repairs a Damaged or Leaking Tube



Block Off a Damaged or Unused Aluminum Tube

FITTING TOOLS



Adjustable Tube Reamer & Deburring Tool

5429



1/-1/8" Telescopic Tube Cutter

5408



Tube Cleaning Scuff Pads

5141HP

FMSI KOOL-AIR KWIK-CONNECT KITS



Master KOOL-AIR Kwik-Connect Aluminum Tube

0194

32 pieces, Joiners & Block Off Cap Standard/Metric Assortment



KOOL-AIR Kwik-Connect Aluminum Block Off Cap

0191

20 pieces, Standard/Metric Assortment

EV READY

FOR TOMORROW'S CHALLENGES

electric vehicles



POE-BASED EV A/C DYE COMPLETE UV LEAK DETECTION KIT



POE-BASED EV A/C DYE COMPLETE UV LEAK DETECTION KIT

3 single-dose Mini-EZ™ dye cartridges, OPTI-PRO UV flashlight, EZ-Ject™ dye injector assembly, solid-brass swivel-type R-134a coupler, R-1234yf adapter, GLO-AWAY™ Plus, and glasses and medium blue carrying cases.

TPOPUV20EV

EV A/C DYE MINI-EZ™ INJECTION KIT



EV A/C Dye Mini-EZ™ Injection Kit

3 single-dose Mini-EZ™ dye cartridges, EZ-Ject™ dye injector assembly, solid-brass swivel-type R-134a coupler, R-1234yf adapter.

TP9814EV-BX

EV A/C DYE FOIL POUCH A/C OIL & A/C OIL + DYE



EV A/C Dye Foil Pouch A/C Oil & A/C Oil + Fluorescent Dye

5 oz (148 ml) foil pouch with POE-Based A/C oil for electric vehicles (compatible with R-1234yf and R-134a systems)

TP100EVD-5 | TP100EV-5
Oil + Fluorescent Dye Oil



EV A/C Dye Mini-EZ™ Injection - 3 pack

(3) 0.25 oz (7 ml) cartridges of Electric Vehicle POE-Based A/C Dye Mini-EZ™ Cartridges

TP9815EV-P3

A/C SYSTEM CLEANERS



OdorStop Odor Neutralizer

- Vanilla - 44210
- Linen - 44211
- Citrus Lime - 44212
- New Car - 44213

Emzone OdorStop products eliminate unwanted odor from the interior of vehicles keeping them smelling fresh and clean. Formulated with advanced odor neutralizing technology, emzone OdorStop attacks odor at its source and permanently removes it.

PRODUCT SIZE: 156 g / 5.5 oz



Mist Cleaning Solution Pack 1, Each tube treats one vehicle
590250

3.403oz, 100ml



Four Seasons Evaporator Cleaner Spray
59023

2.5oz



Sealing Washer Kit
24069

Compatible with R12 and R134A



Nylon Rod Locking Mounting Kit
53014



High side Straight 1/4" Service Port Retro Fit Adapter
59977



High Side Straight 3/16" Service Port Retro Fit Adapter
59978



GM Car + LT Truck Ester Retrofit Kit
26600

ONE KIT DOES IT ALL!

4 trays hold a total of 551 Pieces!



A/C Specialist Parts Assortment
24818

- Includes all new Ford/Chrysler Metal sealing washers
- HFO-1234yf components
- O-rings: metric, captive, dual and standard HNBR
- Sealing and slim line washers
- Covers Domestic, European & Asian vehicles
- 136 SKUs to provide extensive coverage
- Portable and lightweight
- 551 quality components, O.E. fit and function
- Components are organized for ease of use

TRAY 1
INCLUDES: O-Rings

TRAY 2
INCLUDES: O-Rings

TRAY 3
INCLUDES: Sealing washers, valve cores and caps

TRAY 4
INCLUDES: Metal gaskets and orifice tube kit

SEE WHATS IN THE KIT



PRO-TIP:

Change Cabin Air Filter in the Spring, to get best A/C results.

APC offers a wide range of cabin air filters to help get the job done!



ENGINE COOLANT FILTERS



Four Seasons Engine Coolant Filters 5/8"
84795

3/4"
84796

Direct-fit replacement for ease of installation



More Kits on page 16.

SERVICE ITEMS



Slim Line Sealing Washer
24237

I.D. 0.4375 in



Slim Line Sealing Washer
24401

I.D. 0.3125 in



Slim Line Sealing Washer
24402

I.D. 11mm



Slim Line Sealing Washer
24403

I.D. 0.59375 in



Slim Line Sealing Washer
24404

I.D. 17mm



Compressor Sealing Washer
24251

I.D. 0.375 in



Standard Relay
35874



Universal Standard High Spring Tension Service Port Valve Core
59346




High Flow JRA Service Port Valve Core
59347



High Flow M10 Service Port Valve Core
59356

A/C ASSORTMENT KITS



A/C Block Off Caps
0156

Standard and Metric




Rear AC Line Replacement Kit
0132



A/C Valve Cores
0324

R134a Valve Cores



A/C O-Rings
0336

Large, Universal R134a



A/C O-Rings
0344

Small, Universal R134a



Master Aluminum Tube Joiner
0379M



A/C O-Rings
0403

Import R134a



Sealing Washers
0445

GM Style



R134a Primary Seal Port Caps
0480



A/C Line Repair Tech Tray
801-700

32 pieces, Dorman

DORMAN



**CPS Pro-Set
Refrigerant Leak
Detector**

**TWICE THE SENSOR
AND BATTERY LIFE
OF THE LEADING
COMPETITOR**

LDA1000H



**Robinair LD7
Premium
Refrigerant Leak
Detector**

**The Robinair LD7
highlights leak sizes
in two unique ways.**

ROBLD7



**Non-Contact
Infrared
Thermometer
027591**

**• Ideal for use in
inaccessible areas
and where moving
parts or high heat**



**CPS Pro-Set®
Nitrogen
Regulator with
Protective
Gauges
BRRN1**

**Delivery Pressure
0-400 PSI**



**Nitrogen Pressure Leak Test Kit
NITROKITG**

**Without regulator for Albee Nitrogen
NITROKIT**

**Kit includes:
high quality 1-valve manifold with a 0-200
PSIG 3-1/8" gauge, 6' (180cm) premium
red 1/4" service hose, 15' yellow hose
assembly with 1/4" MPT x 1/4" coupler and a
high quality automotive snap coupler**



**Cool Smoke EVAPLeak Detection
System
500-0100**

**New safer, healthier technology. Uses
no heat to create high visibility smoke.
Using 0.5psi pressure control, Cool Smoke
has the highest flow rate of any smoke
machine**

Uses 12 volt DC with only 1 amp draw rate



**MotorVac® CoolSmoke Smoke-
Producing Fluid
400-1054**

**CoolSmoke Fluid with UV Dye is designed
specifically for use with the MotorVac Cool
Smoke System. Automotive system safe and
environmentally friendly.**

PRODUCT SIZE: 6.8 oz

**Digital pocket thermometer
with stainless steel probe
and pocket clip.
TMDP**



**Programmable Digital
Pocket Thermometer,
Fahrenheit
TMAP**



**Pro-Set® 2 CFM Two-Stage
Vacuum Pump
VP2D**



**Pro-Set® 6 CFM Vacuum
Pump
VP6D**



**Compute-a-Charge
Refrigerant Scale
CC220**

Industry-leading charging scale with the most advanced load cell technology



**Manifold Gauge Set
MTHFO134**

R-134a, R-1234yf with two sets of manual couplers and carrying case



**Four Seasons
ECV Diagnostic Tool Kit
69636**



**Four Seasons
R134a/R1234YF Diagnostic
Sight Glass Tool
69215**



**Gauge Set, R134a, complete
with 72" hoses and couplers
MT0399HP**



**Universal Metal Fin Comb
Straightening Tool
TLFC1**



**HFO Manifold Gauge Set
MAID8QYF**

R-1234YF, 1/2" ACME, with manual couplers and tin case



**Blackmax Chrome Manifold
Gauge Set
MAID8QZ**

Refrigerant(s):R-134a
Fittings:1/2" ACME
Gauge Size: 2.5" Hoses: 8 ft
Includes: manual couplers & tin case



**BlackMAX® R-134A, R-1234YF
Manifold Gauge Set
MAID8QDL**

Manual couplers, protective gauge boots, hanging hook, & tin carrying case



**Quick Dry Solvent - 128 oz
Gallon
TR1055.01**



**Flush Gun
AR6223HP**

Use AR4202 Quick Dry Solvent




**2oz Hand Turn Oil Injector
R12 R134a R1234yf MT4061
MT4061**



**ENGLISH ODS Service Log
AR4254**

Kit Includes:

- (1) ODS Service Log Book
- (25) Plastic Sleeves
- (1) ODS Service Pen



6 Piece Disconnect Tool Set
H3501

This spring-lock coupling release tool easily separates fittings on fuel and air conditioning lines



1-1/8" Mini Tubing Cutter
739109

Compact overall size is ideal for cuts where space is limited



Standard Large Valve Core Remover
5199HP

Double ended for easy replacement



Deluxe Core Remover
17-175



A/C Hose Crimper
MTC-71550

Mastercool "manual style" A/C hose crimper. The dies snap quickly into place requiring no pins or screws



Delux Clutch Hub Puller/Installer Kit
MTC-91000A

Kit contains a complete offering of A/C compressor clutch hub pullers and installers for GM, Ford, Chrysler and Imports. Includes a compressor identification chart and comes in a custom molded case.



Heavy Duty Universal Hydraulic Flaring Tool
71475M

Upgraded piston for better quality flares

- Magnetic yoke & ball plunger to secure die set and anvil during set up



Albee Nitrogen Integrated Regulator
Same Gas Capacity of 20L 200bar Cylinder, Fully Portable
A0464186




Albee Cylinder Cart
A0244062


UV LIGHT DETECTION



UVView® Phazer™ NEO 395
| UV Leak Detection Light
Rechargeable
EW50395








UVView® Phazer™ BLACK 395
| UV Leak Detection Light
Rechargeable
EW40395



Check out other APC Catalogues

Over 10 Specialty Catalogues Available



AIR CONDITIONING

VERSION 5

Last Updated: April 2026



**With over 60 Locations –
We have an APC Store Near You**
www.AutoPartsCentres.com/locations



**SHOP ONLINE AT
APC CONNECTION ON
WWW.AUTOPARTSCENTRES.COM**



Auto Parts Centres



@apcautoparts



APC_AutoPartsCentres