



Auto Parts Centres

TRAILER ESSENTIALS

PARTS & SERVICE PRODUCTS



Formula Trailer Wheel Bearing Kit
1" Axle

FORMULA-TK1-1

Formula Trailer Wheel Bearing Kit
1-1/16" Axle

FORMULA-TK1.1/16-1



Bearing Kits

Part #	Axle Capacity
2023133979	2,000 lbs
2023133980	3,500 lbs
2023133981	5,200 lbs
2023133982	6,000 lbs
2023133983	7,000 lbs

Standard Dust Caps

Non Lubed	Lubed	Axle Capacity	Bore Size
2023134658	2023134661	2,000-3,500 lbs	2"
2023134659	2023134662	5,200-6,000 lbs	2-1/2"
2023134660	2023134011	7,000-8,000 lbs	2-3/4"



Trailer Seal & Bearing Kit

Part #	Axle Size
21	1" Axle
22	3/4" Axle
23	1-1/4" Axle
24	1" Axle
27	1-3/4" Axle
28	1-1/16" Axle



Idler Hub with Bearing Kit

Includes races, bearings & seal.

Part #	Axle Capacity	Bolt Pattern	Stud Size
814206	2,200 lbs	4 on 4"	1/2"
814208	3,500 lbs	5 on 4 1/2"	1/2"



1.98" Bearing Protectors & Covers, 2 pack

22198



Universal Rubber Insert for Axle Dust Cap 2 Pack

2023134012



Brake Hub with Bearing Kit

Includes races, bearings & seal.

Part #	Axle Capacity	Brake Hub Size	Bolt Pattern	Stud Size
814210	3,500 lbs	10"	5 on 5"	1/2"
814211	6,000 lbs	12"	6 on 5-1/2"	1/2"
814212	7,000 lbs	12"	8 on 6-1/2"	1/2"
814213	7,000 lbs	12"	8 on 6-1/2"	9/16"



Wet Shoulder Bolt for Trailer Axle Hangers, 9/16" x 2.825"

126197



Universal Rubber Insert for Axle Dust Cap 10 Pack

693722



Cone Trailer Wheel Lug Nut Sets

Non Lubed	Qty	Type	Thread Size
2024039632	6	60° cone wheel	1/2" - 20
2024039633	8	60° cone wheel	9/16" - 18




Bronze Trailer Leaf Spring Bushing, 1-3/4" Length, 9/16" Inside Diameter

126171



Trailer Double-Eye Leaf Spring, 1,750lb Spring Capacity, 4 Leaf


124903L



AutoPartsCentres.com

AirCheck BLE

Consists of three core elements:



TPMS sensors communicate pressure and temperature data using BLE protocol



Bluetooth range extender expands communication range between sensors and the mobile app to 225 meters



Intuitive smartphone app monitors the system



AirCheck BLE TPMS RetroFit Kit with 2 x BLE sensors and range extender

29500-2

Electric Trailer Brake Assembly

Part #	Bolt & Vehicle Side	Brake Size
298274	4 - RH	10"x 2 1/4", 3500lb Axles
297956	4 - LH	
298275	5 - LH	12"x 2", 5200lb Hybrid Axles
298276	5 - RH	




Triflex NEXT Trailer Brake Controller Proportional

51146



Discovery NEXT Trailer Brake Controller Time-Delay

51126



Universal Trailer Brake Controller Harness with Pigtails - 24"

51516




Universal Trailer Brake Controller Harness with Pigtails - 24" - Packaged

51515



Venturer NEXT Trailer Brake Controller Time-Delay

51116



7-Way RV Blade



Part #	Description
56602	Replacement 7-Way RV Blade with 8' Wires (Trailer Side)
56229	Replacement USCAR Socket with 24" Wires (Vehicle Side)
57020	OEM Replacement Dual-Output 7 & 4-Way Connector (Plugs into Any USCAR)
57241	Electrical Adapter (7-Way RV Blade Vehicle to 4-Flat Trailer, Packaged)
58141	7 way RV blade trailer side
58151	7 way RV blade car side
58291	Connector Mounting Bracket for 7-Way RV Blade (Black, Packaged)
57240	Electrical Adapter (7-Way RV Blade Vehicle to 4-Way Flat Trailer)
57015	OEM Replacement Dual-Output 7 & 4-Way Connector (Ford, GM, Nissan)
55415	Replacement OE 7-Way RV Blade Socket
58140	7-Way RV Blade Connector Plug (Trailer Side)
58150	7-Way RV Blade Connector Socket (Vehicle Side)

Double Lip Grease Seal

2 & 10 Pack



Part #	Axle Capacity	Pack Qty	ID	OD
2023134653	2,200 lbs	2	1.500	1.983
333957		10		
2023134654	3,500 lbs	2	1.719	2.561
333961		10		
2023134655	5,200 - 8,000 lbs	2	2.250	3.371
333963		10		


Suspension Shoulder Bolt, 9/16" Diameter, 2-5/16" Shoulder Length

2024120106



Nylon Trailer Leaf Spring Bushing, 1-3/4" Length, 9/16" Inside Diameter
4 pack

2024110549



U-Bolt & Nut Kits

Part #	Fits Axle Tube Size	Length	Thread Size
2024117444	1-3/4"	4-3/8"	3/8"-24
2024117446	2-3/8"	5-1/8"	1/2"-20
2024117447	3"	6-1/2"	1/2"-20



Double - Eye Leaf Spring Trailer Equalizer, 1-3/4" Spring Width, 33" Axle Spacing

126460




Double - Eye Leaf Spring Trailer Equalizer, 1-3/4" Spring Width, 33" Axle Spacing

126741



Universal Tandem Axle Repair Kit - Nylon Bushing

2020219547




Trailer Axle Double-Eye Suspension Kit, 2,200-8,000-lb. Single Axle

121101LRV



Axle Double-Eye Suspension Kit, 2,200-8,000-lb. Tandem Axles, 33" Axle Spacing

121097L




2" Straight-Tongue Coupler, Posi-Lock

Part #	Channel Width
25153	2" x 3500lb
25135	2 1/2" x 3500lb
25138	3" x 3500lb



Hitch Pins & Clips

Part #	Size
25080	1/4" Safety Pin (2-3/4" Pin Length)
21501	5/8" for 2"
21581	5/8" for 2.5"
23021	5/8" lock, for 2" or 2.5"




Clevis Pin Ball Mount with 1" diameter pin
2" Shank, 6,000lbs.

45821

Clevis Pin with Handle & Clip

Part #	Size
45805	1/2"
45804	5/8"
45809	3/4"
45803	1"



TRAILER HITCHES

All Trailer Hitch Styles Available – Weight Distribution Options Too.

Flat, 5th Wheel, Gooseneck & Weight Distribution— Special Order Ready!



TRAILER HITCHES



FLAT TOWING



5TH WHEEL HITCHES



GOOSENECK HITCHES

Loaded Ball Mount with 2" Ball, Imported 2" Shank, 7,500 lbs., 2" Drop

45836



Loaded Ball Mount with 2" Ball, Imported 2" Shank, 7,500 lbs., 4" Drop

45856



Class 3 Ball Mount, Imported 2" Shank, 7,500 lbs., 2" Drop, 7-1/2" Long

45830



Class 3 Ball Mount, Imported 2" Shank, 7,500 lbs., 4" Drop, 8-1/4" Long

45850



Trailer Hitch Balls

Part #	Size	GTW
40066	2" Ball - 1" x 2 1/8"	3,500 lbs
40067	2 5/16" Ball - 1" x 2 1/8"	6,000 lbs
40065	2" Ball - 3/4" x 2 1/8"	7,500 lbs



Reducer Sleeve
2-1/2" to 2" Shank
45405



Reducer Sleeve Set
3" to 2-1/2" to 2" Shanks,
2 pcs
45408

Universal Trailer Coupler Lock
23090



Adjustable Channel Mount with Dual Ball - 2" - 2 5/16"

Part #	Description
45900	2" Shank, 14,000 lbs., 6" Drop
45902	2-1/2" Shank, 20,000 lbs., 6" Drop



Ball & Pintle Hitch

Part #	Ball Capacity
48180	1-7/8", 6,000 lbs
48190	2", 10,000 lbs
48200	2-5/16" 16,000 lbs



Pintle Hitch

Part #	Pintle Hook with Lunette Rings
48005	2" Shank, 10,000 lbs., 2-1/2"
48004	2" Shank, 20,000 lbs., 2-1/2"
48010	2-1/2" Shank, 20,000 lbs., 2-1/2"

Part #	Ball & Pintle Hitch
48006	2" Shank, 2-5/16" Ball, 12,000 lbs.
48007	2" Shank, 2" Ball, 10,000 lbs.
48012	2-1/2" Shank, 2-5/16" Ball, 20,000 lbs

Pintle Hook: 2-1/2" or 3" Lunette Rings

Part #	Capacity
48205	10,000 lbs.
48210	20,000 lbs.
48215	30,000 lbs.
48231	60,000 lbs.



Marine & RV Batteries



24M 140 (RC)@ 25
Amps, 550 CCA,
12 Month Warranty

SRM-24



27M 160 (RC)@
25 Amps, 600
CCA, MCA 750, 12
Month Warranty

SRM-27



CCA 675, 210 RC
@25 AMPS, 12
Month Warranty

SRM-31

Marine Trailer Jack with
6" Wheel, 1,000lbs,
10" Travel

25004



Trailer Light Kit with
Side Markers


*Kit Includes, lamps, license
plate bracket, and complete
wiring and installation kit

65370-5




4-Way Flat Connector Plug
& Socket with 72" Wires

58050



4-Way Flat Connector for
Rewiring Trailer, 20' Wires

57220



Submersible LED
Square Trailer Kit,
without
Clearance/Marker

65880-5

4-Way Flat Connector Plug &
Socket with 12" Wires
(Packaged)

58381



Pipe-Mount
Swivel Trailer
Jack with Side
Handle, 5,000lbs,
15" Travel

25005



Submersible LED
Square Trailer
S/T/T Lamp Kit,
Over 80"

65270-5

A-Frame Trailer
Jack with Top
Handle 5,000lbs,
15" Travel

25007



Breakaway & Replacement Part Kits



Part #	Size
52010	Breakaway Switch
52020	Replacement Breakaway Switch Lanyard
52023	Breakaway Battery - 12V
52025	12V Battery Charger



Push-to-Test Breakaway Kit with Side-Load Battery

Includes: Push to test Battery case, 12V Battery, Built in Battery Charger, Breakaway Switch and Mounting Hardware.

52042



Soft-Trac 2 Breakaway Kit with Charger

Includes: Battery case with mounting bracket, 12V Battery, Breakaway Switch and Battery Charger.

52028



Soft-Trac 1 Breakaway Kit with Charger

Includes: Lockable battery case, 12V Battery, Breakaway Switch, Battery Charger and Mounting Hardware.

52040

Tow Vehicle Upgrades



Product fits all vehicles



Towtal View Backup Camera for Trailer

- Includes two mounts, a portable suction cup mount, and a permanent hardwired mount
- Infrared LED lights for night vision to maintain colored viewing

25300



WirelessOne Tank plus EZ Mount

Single-path, wireless inflate/deflate control of your air springs via a handheld remote or mobile app, making it ideal for towing, hauling, and adapting to changing loads.

25981EZ



25828HD

Part #	Size
25828HD	Air Lift 1000 HD Combo Kit
60828HD	Air Lift 1000HD Air Spring Kit, 19-25 RAM 1500 New Body Style
60818HD	Air Lift 1000HD Air Spring Kit, 09-24 RAM 1500 Classic Body Style

Tie Downs & Ratchet Straps



1" x 15' S-Hook Ratchet Tie-Down, Plastic Frame, 4 Pack

SL91



1" x 10' Ratcheting Tie-Down, 2 Pack

95002



2" x 27' Medium Wide Handle Ratchet Strap w/J-Hooks

556-WHK

Tarp Ties

Part #	Size
95810	10"
95815	15"
95821	21"
95831	31"
95841	41"



2" x 27' Ratchet Strap with Chain Anchors & Long/Wide Handle

45982-15

2" x 30' Ratchet Strap w/J-Hooks & Long/Wide Handle

45982-43



1.25" x 8' Motorsports S-Hook Ratchet Tie-Down, 2 Pack

XR108-2P


1" x 15' Commercial Grade S-Hook Ratchet Tie-Down, Camo Web

XR015-C1P



Straps

Part #	Size
41660-14-30	3" x 30' X-Treme Webbing Winch Strap w/Chain Anchor
SL24	2" x 20' Single Pack Recovery Strap
SL31	2" x 15' Single Pack Tow Strap w/Hooks



Safety Chains

Part #	Size
80303	35" Safety Chain with 1 Clevis Hook (12,600 lbs, Yellow Zinc), 1/4"
80304	35" Safety Chain with 1 Clevis Hook (18,800 lbs, Yellow Zinc), 5/16"
80308	25' Transport Binder Safety Chain with 2 Clevis Hooks (18,800 lbs, Yellow Zinc), 5/16"
80312	27" Safety Chain with 1 Snap Hook (2,000 lbs, Clear Zinc), 3/16"
80313	27" Safety Chain with 1 Snap Hook (5,000 lbs, Clear Zinc), 1/4"

Chain w/ Clevis Hooks

Part #	Size
45881-10-16T-SP	Grade 70 5/16" x 16' Chain w/Clevis Hooks Pail
45881-11-16T	Grade 70 3/8" x 16' Chain Assembly w/ Clevis Hooks
45881-11-16T-SP	Grade 70 3/8" x 16' Chain w/ Clevis Hooks Pail
45881-11-20T-SP	Grade 70 3/8" x 20' Chain w/ Clevis Hooks Pail
45881-13-20T	Grade 70 1/2" x 20' Chain Assembly w/ Clevis Hooks

Slip Hooks

Part #	Size
50019-22	Grade 70 3/8" Slip Hook w/Safety Latch
50019-23	Grade 70 1/2" Slip Hook w/Safety Latch

Clevis Slip Hook

Part #	Size
45946-10	Grade 70 5/16" Steel Clevis Hook
45946-11	Grade 70 3/8" Clevis Hook
45946-12	Grade 70 1/4" Clevis Hook
45946-13	Grade 70 1/2" Clevis Hook

TRAILER ESSENTIALS

PARTS & SERVICE PRODUCTS

Products and Premiums Available While Quantities Last. Prices Subject To Change Without Notice. Actual products may differ from ones pictured in catalogue. Promotions with "Free Goods" must be ordered with an APC representative. CANUSA/APC reserves the right to substitute or terminate any product or premium as they see fit. APC is a Division of CANUSA Automotive Warehousing Inc.™ The APC logo is trademarked. Contents may not be duplicated or replicated without the consent of APC Auto Parts Centres or CANUSA Automotive Warehousing Inc. ©2026 All Rights Reserved. Online Orders cannot receive products or premiums at no charge. E & OE. APC Corporate.

Corner Protector

Part #	Size
50089-24	24" X-Treme Guard® Corner Protector
50089-48	48" X-Treme Guard® Corner Protector

Lifting Sling

Part #	Size
20-EE2-9802X8	2" x 8' 2-Ply Tapered Loop Eye-to-Eye Lifting Sling
20-EE2-9802X10	2" x 10' 2-Ply Tapered Loop Eye-to-Eye Lifting Sling
20-EE2-9802X12	2" x 12' 2-Ply Tapered Loop Eye-to-Eye Lifting Sling



3/8" to 1/2" Ratchet Load Binder

- High-strength drop-forged steel with robust ratcheting system.
- Finished in a red E-coat paint to help resist the elements
- Working Load Limit of 9,200 lbs/4,182 kgs

45943-21



Auto Parts Centres

With over 65 Locations - We have an APC Store Near You!

www.AutoPartsCentres.com/locations

Over 400 brands in Aftermarket & Performance Parts APC is the solution for any project.

Check out our full line up of product here:



AutoPartsCentres.com

f Autopartscentres

X APCAautoparts

o APC_Autopartscentres